



DECLARATION OF PERFORMANCE

No. 16281801R01-CPR-18

| | |
|---|--|
| Unique identification code of the product-type: | K-FLEX K-FIRE ACRYLIC - Penetration |
| Intended use/es: | Fire stopping and fire sealing products - Penetration seals. See ETA-21/0559 - EAD 350141-00-1106 |
| Manufacturer: | L'Isolante K-Flex Spa, Via Don Locatelli 35, 20877 Roncello (MB), ITALY |
| System/s of AVCP: | 1 |
| Harmonised standard: | Not available |
| Notified body: | DBI Certifications A/S |
| European Technical Approval Certificate of Conformity | ETA-21/0559 - EAD 350141-00-1106 2531-CPR-CXO10222 DBI Certifications A/S performed third party tasks as set out in Annex V under System 1 and issued Certificate of Conformity. |

Declared performance/s:

| Essential Characteristics | Performance |
|--|--|
| BWR 1 - Mechanical Resistance and stability | |
| Mechanical Resistance and stability | NR |
| BWR 2 - Safety in case of fire | |
| Reaction to fire | D-s1, d1 |
| Resistance to Fire | ETA-21/0559 - Annex A |
| BWR 3 - Hygiene, health and environment | |
| Air Permeability | NPD |
| Release of dangerous substances | IA1 |
| BWR 4 - Safety in use | |
| Mechanical Resistance and stability | NPD |
| Resistance to impact/movement | NPD |
| Adhesion | NPD |
| BWR 5 - Protection against noise | |
| Airborne sound insulation | Rw(C;Ctr)=62 (-1;-5)dB |
| BWR 6 - Energy economy and heat retention | |
| Thermal properties | NPD |
| Water vapor permeability | NPD |
| General Aspect relating to fitness for use | |
| Durability and Serviceability | Z2 - Intended for uses in internal conditions with humidity lower than 85 % RH excluding temperatures below 0°C, without exposure to rain or UV. |

NR = Not Relevant.

NPD = No Performance Determined.

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 3052011, under the sole responsibility of the manufacturer identified above.

The Safety Data Sheet (SDS) of K-FLEX K-FIRE ACRYLIC - Penetration is available on request.

Roncello, 05/10/2021

Signed for and on behalf of the manufacturer by:



Amedeo Spinelli, President